

## PART I

**SAFETY DATA SHEET**  
**Regulation on Safety Data Sheets for Hazardous Substances and Mixtures**  
**(R.G. 13.12.2014 – 29204)**  
**PROZOE CEMENT (LIQUID)**

**Date : 01.12.2012**  
**Revision Date : 12.07.2021**  
**Versiyon 2.**  
**FORM No: RS0640**

## PART II

### **SECTION 1 : Identification of the substance/preparation and of the company/undertaking**

#### **1.1. Product identifier**

**Product code :** RS0640

**Product name :** PROZOE CEMENT (Liquid)

**Product description :** Excipients for Dentistry

#### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Relevant identified uses :** Professional Dental Zinc Oxide Eugenol Cement

#### **1.3. Details of the supplier of the safety data sheet**

**Manufacturer :** Promida Diş Malzemeleri San Tic. Ltd. Şti.

75. Yıl Mah. 3. Cd. (Küçük Organize Sanayi) No: 6/A Odunpazarı/Eskişehir

TEL: 0 222 205 34 84

[info@promida.com.tr](mailto:info@promida.com.tr)

#### **1.4. Emergency telephone number**

Turkey : UZEM (114)

### **SECTION 2: Hazards identification**

#### **2.1. Classification of the substance or mixture**

##### **Classification according to Regulation(EC) No 1272/2008 [CLP]**

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

#### **2.2. Label elements**

##### **Classification according to Regulation(EC) No 1272/2008 [CLP]**

The Regulation EC 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP) shall not apply to a medical device in the finished state used in direct physical contact with the human body according to Art. 1.5 (d). Therefore, the product is exempted from the CLP labeling requirements, and no SDS is required by Regulation 1907/2006, Art. 2 (6c), REACH. Therefore, all given data, classification, and information on this SDS are provided solely on a voluntary basis.

**PART I**

**SAFETY DATA SHEET**  
**Regulation on Safety Data Sheets for Hazardous Substances and Mixtures**  
**(R.G. 13.12.2014 – 29204)**  
**PROZOE CEMENT (LIQUID)**

**Date : 01.12.2012**  
**Revision Date : 12.07.2021**  
**Versiyon 2.**  
**FORM No: RS0640**

**Hazard pictogram(s) :**



**Signal Word:** Warning

**Hazard statement(s):**

H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H401 Toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statement(s)**

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read label before use.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves / eye protection / face protection.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 Call a POISON CENTER/doctor if you feel unwell.  
P321 Specific treatment (see on this label).

**2.3. Other hazards**

Results of PBT and vPvB assessment  
PBT: Not applicable. vPvB: Not applicable.

**SECTION 3: Composition / information on ingredients**

**3.1. Substances**

Not Applicable

**3.2. Mixtures**

Chemical material	Cas No	Clasifications	Wt %
2-Methoxy-4-(2-propenyl)phenol	97-53-0	Eye Irrit. 2, H319	>50

For full text of H-statements: see SECTION 16.

## PART I

**SAFETY DATA SHEET**  
**Regulation on Safety Data Sheets for Hazardous Substances and Mixtures**  
**(R.G. 13.12.2014 – 29204)**  
**PROZOE CEMENT (LIQUID)**

**Date : 01.12.2012**  
**Revision Date : 12.07.2021**  
**Versiyon 2.**  
**FORM No: RS0640**

### **SECTION 4: First aid measures**

#### **4.1. Description of first aid measures**

##### **General information:**

Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

##### **After inhalation:**

This product is a viscous gel, therefore chance of inhalation is extremely low. Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

##### **After skin contact:**

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

##### **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:** If swallowed in large quantities seek medical attention.

#### **4.2. Most important symptoms and effects, both acute and delayed**

No further relevant information available.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### **SECTION 5: Fire fighting measures**

#### **5.1. Extinguishing media**

**Extinguishing media :** Water spray, fog, or mist, foam, dry chemical, carbon dioxide (CO<sub>2</sub>)

#### **5.2. Special hazards arising from the substance or mixture**

**Hazardous combustion products :** None known.

#### **5.3. Advice for firefighters**

**Fire fighting procedures :** General: Evacuate all personnel; use protective equipment for fire-fighting. Use self-contained breathing apparatus when the product is involved in fire.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

**General procedures :** Refer to Section 8 for Personal Protective Equipment. Ensure adequate ventilation

#### **6.2. Environmental precautions**

**Water spill :** Do not allow to enter sewers or drains that may lead to waterways.

## PART I

**SAFETY DATA SHEET**  
**Regulation on Safety Data Sheets for Hazardous Substances and Mixtures**  
**(R.G. 13.12.2014 – 29204)**  
**PROZOE CEMENT (LIQUID)**

**Date : 01.12.2012**  
**Revision Date : 12.07.2021**  
**Versiyon 2.**  
**FORM No: RS0640**

### 6.3. Methods and material for containment and cleaning up

**Small Spill :** ONLY PEOPLE WEARING PPE SHOULD CLEANUP SPILLS. Wipe up small amounts with chemical resistant or damp rag which is washed with large amounts of water after each use. After cleaning, flush away traces with water.

**Large Spill :** ONLY PEOPLE WEARING PPE SHOULD CLEAN UP SPILLS. Absorb with inert, damp non-combustible material, then flush area with water.

### 6.4. Reference to other sections

**Reference to other sections :**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information

**Additional information :** PPE MUST BE WORN WHILE CLEANING UP ANY SPILLS. IF PEOPLE ARE NOT WEARING PPE THEY MUST BE EVACUATED FROM THE AREA OF THE SPILL.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

**Handling :** Use suitable protective equipment.

**Storage :** See product labeling.

### 7.2. Conditions for safe storage, including any incompatibilities

**Shelf life :** See product labeling

### 7.3. Specific end use(s)

**Specific end use(s) :** Professional Dental

## **SECTION 8: Exposure controls / personal protection**

### 8.1. Control parameters

None known.

### 8.2. Exposure controls

**Eye/face protection :** Wear eye protection.

**Skin protection :** Wear suitable protective clothing and gloves.

**Respiratory protection :** Use only in a well ventilated area. Gözleri koruyucu: Gözlük kullanılmalıdır.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

**Physical state :** Powder

**Colour :** Yellowish

**Odour :** Characteristic

## PART I

**SAFETY DATA SHEET**  
**Regulation on Safety Data Sheets for Hazardous Substances and Mixtures**  
**(R.G. 13.12.2014 – 29204)**  
**PROZOE CEMENT (LIQUID)**

**Date : 01.12.2012**  
**Revision Date : 12.07.2021**  
**Versiyon 2.**  
**FORM No: RS0640**

### 9.2. Other information

**Additional information :** No further relevant information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

**Reactivity :** Stable

### 10.2. Chemical stability

**Chemical stability :** Stable when stored and handled under recommended conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous polymerization :** No dangerous reactions known.

### 10.4. Conditions to avoid

**Conditions to avoid :** No further relevant information available.

### 10.5. Incompatible materials

**Incompatible materials :** No further relevant information available.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products :** Flor, Nitrogen oxides, Ammonia, Carbon monoxide and carbon dioxide.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### Acute toxicity

No data

#### Primary irritant effect:

##### Skin corrosion/irritation

Causes skin irritation.

##### Serious eye damage/irritation

Causes serious eye irritation.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

## PART I

**SAFETY DATA SHEET**  
**Regulation on Safety Data Sheets for Hazardous Substances and Mixtures**  
**(R.G. 13.12.2014 – 29204)**  
**PROZOE CEMENT (LIQUID)**

**Date : 01.12.2012**  
**Revision Date : 12.07.2021**  
**Versiyon 2.**  
**FORM No: RS0640**

### **SECTION 12: Ecological information**

#### **12.1. Toxicity**

**Aquatic toxicity (acute) :** Do not allow to enter sewers or drains that may lead to waterways.

**Zinc Oxide:** 96 hours LC50 Oncorhynchus mykiss 1.1 ppm

#### **12.2. Persistence and degradability**

**Persistence and degradability :** Not classified

#### **12.3. Bioaccumulative potential**

**Bioaccumulative potential :** Not classified

#### **12.4. Mobility in soil**

**Mobility in soil :** Not available

#### **12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment :**

Not applicable.

#### **12.6. Other adverse effects**

**Environmental data :** Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### **SECTION 13: Disposal considerations**

#### **13.1. Waste treatment methods**

**Disposal method :** Dispose of container and unused contents in accordance with local requirements.

### **SECTION 14: Transport information**

#### **14.1. UN number**

**UN number :** not regulated

#### **14.2. UN proper shipping name**

**UN proper shipping name :** not regulated

#### **14.3. Transport hazard class(es)**

**Primary hazard class/division :** not regulated

**Hazard classification :** not regulated

#### **14.4. Packing group**

**Packing group :** not regulated

## PART I

**SAFETY DATA SHEET**  
**Regulation on Safety Data Sheets for Hazardous Substances and Mixtures**  
**(R.G. 13.12.2014 – 29204)**  
**PROZOE CEMENT (LIQUID)**

**Date : 01.12.2012**  
**Revision Date : 12.07.2021**  
**Versiyon 2.**  
**FORM No: RS0640**

### 14.5. Environmental hazards

**Marine pollutant #1** : Not applicable.

### 14.6. Special precautions for user

**ADR - road** : Not applicable.

**RID - rail** : Not applicable.

**IMDG - sea** : Not applicable.

**IATA - air** : Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

**Transport in bulk** : Not applicable.

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

### 15.2. Chemical safety assessment

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### **Relevant phrases**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

**Department issuing SDS:** Regulatory Affairs

### **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative



## PART I

**SAFETY DATA SHEET**  
**Regulation on Safety Data Sheets for Hazardous Substances and Mixtures**  
**(R.G. 13.12.2014 – 29204)**  
**PROZOE CEMENT (LIQUID)**

**Date : 01.12.2012**  
**Revision Date : 12.07.2021**  
**Versiyon 2.**  
**FORM No: RS0640**

Acute Tox. 4: Acute toxicity – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**Prepared by : İlke Özyurt**

**Manufacturer disclaimer : FOR DENTAL USE ONLY: Use as directed. The information and recommendations are taken from sources (raw material SDS(s) and manufacturer's knowledge) believed to be accurate; however, the manufacturer, makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.**